


DHP 28-16



Short description

Electric air heater, three-phase AC, channel dimensions 600 mm x 300 mm


Article number 0082.0098

Technical data

Min. flow velocity	1,5 m/s
Max. flow velocity	
Type of voltage	Three-phase AC
Rated voltage	400 V
Frequency	50 Hz
I_{max}	23,1 A
Degree of protection	IP 43
Installation	Inside
Installation site	Channel
Installation position	horizontal / vertical
Housing material	Sheet steel, galvanised
Weight	14,47 kg
Weight including packaging	15,41 kg
Channel dimension	600 mm x 300 mm
Width	739 mm
Height	338 mm
Depth	370 mm
Width with packaging	765 mm
Height with packaging	450 mm
Depth with packaging	385 mm
Air heater type	electrical
Heater power rating	16.000 W
Packing unit	1 piece
Range	D
GTIN (EAN)	4012799820987


DHP 28-16

Characteristic curve Pressure losses




- ① DHP 25-16
- ② DHP 22-9, DHP 28-16, DHP 28-28
- ③ DHP 31-28
- ④ DHP 31-16

Characteristic curve Temperature rise



DHP 28-16

Dimensioned drawing [mm]



A	B	C	D	E	F
600	300	620	320	739	338