

# KSP 25/27



## Short description

Attenuating sound absorber, channel dimensions 600 mm x 300 mm


Article number 0092.0331

## Technical data


Min. flow velocity	
Max. flow velocity	20 m/s
Installation site	Channel
Housing material	Sheet steel, galvanised
Weight	36 kg
Weight including packaging	36 kg
Channel dimension	600 mm x 300 mm
Width	640 mm
Height	340 mm
Depth	1.250 mm
Width with packaging	640 mm
Height with packaging	340 mm
Depth with packaging	1.250 mm
Insertion loss at 63 Hz	5 dB
Insertion loss at 125 Hz	12 dB
Insertion loss at 250 Hz	27 dB
Insertion loss at 500 Hz	26 dB
Insertion loss at 1 kHz	29 dB
Insertion loss at 2 kHz	23 dB
Insertion loss at 4 kHz	16 dB
Insertion loss at 8 kHz	14 dB
Total insertion loss	
Insertion loss note	
Packing unit	1 piece
Range	D
GTIN (EAN)	4012799923312

# KSP 25/27

Characteristic curve for KSP 22/27, KSP 31/27, KSP 35/23, KSP 50/23 and KSP 56/25



## Dimensioned drawing [mm]



A	B	C	D	E	F	G
600	300	620	320	1.250	12	20

# KSP 25/27

