


KSP 31/27



Short description

Attenuating sound absorber, channel dimensions 950 mm x 350 mm


Article number 0092.0333

Technical data

Min. flow velocity	
Max. flow velocity	20 m/s
Installation site	Channel
Housing material	Sheet steel, galvanised
Weight	63 kg
Weight including packaging	63 kg
Channel dimension	1.000 mm x 350 mm
Width	1.040 mm
Height	390 mm
Depth	1.250 mm
Width with packaging	1.040 mm
Height with packaging	390 mm
Depth with packaging	1.250 mm
Insertion loss at 63 Hz	4 dB
Insertion loss at 125 Hz	11 dB
Insertion loss at 250 Hz	24 dB
Insertion loss at 500 Hz	23 dB
Insertion loss at 1 kHz	25 dB
Insertion loss at 2 kHz	20 dB
Insertion loss at 4 kHz	14 dB
Insertion loss at 8 kHz	12 dB
Total insertion loss	
Insertion loss note	
Packing unit	1 piece
Range	D
GTIN (EAN)	4012799923336


KSP 31/27

Characteristic curve



- ① KSP 22/27
- ② KSP 25/27
- ③ KSP 28/23
- ④ KSP 31/27, KSP 93/28
- ⑤ KSP 35/23, KSP 94/28
- ⑥ KSP 50/23
- ⑦ KSP 56/25

Dimensioned drawing [mm]



A	B	C	D	E	F	G
1.000	350	1.020	370	1.250	12	20

KSP 31/27

