

KSP 56/25



Short description

Silencer for 1,350 mm x 500 mm ventilation channels


Article number 0092.0307

Technical data

Min. flow velocity	
Max. flow velocity	20 m/s
Installation site	Channel
Housing material	Sheet steel, galvanised
Weight	125,5 kg
Weight including packaging	125,54 kg
Channel dimension	1.350 mm x 500 mm
Width	1.390 mm
Height	540 mm
Depth	1.500 mm
Width with packaging	1.390 mm
Height with packaging	540 mm
Depth with packaging	1.500 mm
Insertion loss at 63 Hz	4 dB
Insertion loss at 125 Hz	12 dB
Insertion loss at 250 Hz	25 dB
Insertion loss at 500 Hz	25 dB
Insertion loss at 1 kHz	25 dB
Insertion loss at 2 kHz	18 dB
Insertion loss at 4 kHz	12 dB
Insertion loss at 8 kHz	10 dB
Total insertion loss	
Insertion loss note	
Packing unit	1 piece
Range	D
GTIN (EAN)	4012799923077


KSP 56/25

Characteristic curve



- ① KSP 22/27
- ② KSP 25/27
- ③ KSP 28/23
- ④ KSP 31/27, KSP 93/28
- ⑤ KSP 35/23, KSP 94/28
- ⑥ KSP 50/23
- ⑦ KSP 56/25

Dimensioned drawing [mm]



A	B	C	D	E	F	G
1.350	500	1.370	520	1.500	12	20

KSP 56/25

