


# RSR 8



## Short description

Tubular sound absorber with 25 mm sound absorbing cover, length: 1000 mm, DN 80

## Application examples

Showroom, Restaurant, Theatre, Production site, Industrial building

Article number 0092.0310

## Technical data

Model	25 mm sound absorbing cover
Material	Aluminium
Weight	1,3 kg
Weight including packaging	1,2 kg
Nominal size	80 mm
Width	129 mm
Height	129 mm
Depth	1.120 mm
Width with packaging	175 mm
Height with packaging	165 mm
Depth with packaging	1.180 mm
Insertion loss at 63 Hz	6 dB
Insertion loss at 125 Hz	7 dB
Insertion loss at 250 Hz	22 dB
Insertion loss at 500 Hz	31 dB
Insertion loss at 1 kHz	50 dB
Insertion loss at 2 kHz	50 dB
Insertion loss at 4 kHz	26 dB
Insertion loss at 8 kHz	22 dB
Total insertion loss	
Insertion loss note	
Sound insulation	yes
Packing unit	1 piece
Range	C
GTIN (EAN)	4012799923107


# RSR 8

## Characteristic curve Pressure losses



- ① Pressure loss in Pa/m sound absorber
- ② Duct diameter
- ③ Velocity of flow

## Dimensioned drawing [mm]





# RSR 8

A	B	C	D	E
80	125	1.120	79,5	180