


WHP 56-69



Short description

Water-air heater for 1,000 mm x 500 mm ventilation channels


Article number 0082.0124

Technical data

Min. flow velocity	
Max. flow velocity	3,5 m/s
Installation site	Channel
Installation position	vertical / horizontal
Housing material	Sheet steel, galvanised
Weight	12,31 kg
Weight including packaging	14,9 kg
Channel dimension	1.000 mm x 500 mm
Width	1.206 mm
Height	570 mm
Depth	120 mm
Width with packaging	1.245 mm
Height with packaging	605 mm
Depth with packaging	155 mm
Air heater type	Water
Heater power rating	69.000 W
Mass flow	2.368 kg/h
Inlet temperature	70 °C
Return flow temperature	50 °C
Max. water temperature	100 °C
Max. water pressure	8 bar
Water pressure difference	7.000 Pa
Packing unit	1 piece
Range	D
GTIN (EAN)	4012799821243


WHP 56-69

Characteristic curve Pressure losses




- ① WHP 22-18
- ② WHP 25-22
- ③ WHP 28-29
- ④ WHP 31-34
- ⑤ WHP 35-43
- ⑥ WHP 50-55
- ⑦ WHP 56-69

Characteristic curve



WHP 56-69

Dimensioned drawing [mm]



A	B	C	D	E	F	G	H	I	K	L
940	500	1.020	520	475	28	40	1.206	55	35	120

① Whitworth thread: 1/2" for WHP 22-18 and WHP 25-22; 3/4" for WHP 28-29, WHP 31-34 and WHP 35-43; 1" for WHP 50-55 and WHP 56-69