


EPK 31/6 B



Kratka informacija

Radijalni kanalni ventilator, jednofazna struja

Broj artikla

0086.0656

Tehnički podaci

Volumen zraka	3.500 m ³ /h
Brzina	930 1/min
S mogućnošću upravljanja brzinom	✓
Vrsta napona	Jednofazna struja
Nazivni napon	230 V
Nominalna snaga	450 W
I _{Nomin.}	2,3 A
I _{Maks.}	4,9 A
Vrsta zaštite	IP 55
Toplinska klasa	F
Glavni kabel	3 x 1,5 mm ²
Položaj za ugradnju	okomito / vodoravno
Težina	48 kg
Težina s pakovanjem	47 kg
Veličina kanala	600 mm x 350 mm
Širina s pakovanjem	800 mm
Visina s pakovanjem	500 mm
Dubina s pakovanjem	770 mm
Temperatura struje zraka kod nazivne struje	65 °C
Temperatura struje zraka kod I _{Maks.}	60 °C
Jedinica za pakiranje	1 kom
Asortiman	D
GTIN (EAN)	4012799866565

Razina jačine zvuka u opsegu buke

	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz	Ukupno
L_{WA2, S1} (dB(A))	20	47	36	35	22	12	14	2	47

EPK 31/6 B

	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz	Ukupno
L_{WA2, S2} (dB(A))	29	52	50	46	374	27	30	0	55
L_{WA2, S3} (dB(A))	36	58	61	57	46	39	40	21	64
L_{WA2, S4} (dB(A))	42	63	65	67	54	46	54	29	70
L_{WA2, S5} (dB(A))	54	70	61	67	63	59	17	49	73
L_{WA5, S1} (dB(A))	23	38	36	40	31	25	32	6	44
L_{WA5, S2} (dB(A))	27	43	56	48	43	42	49	15	57
L_{WA5, S3} (dB(A))	33	48	65	59	53	55	59	34	67
L_{WA5, S4} (dB(A))	40	5	67	72	62	62	73	47	74
L_{WA5, S5} (dB(A))	51	67	66	74	74	75	21	67	81
L_{WA6, S1} (dB(A))	14	41	35	41	38	29	38	6	46
L_{WA6, S2} (dB(A))	24	42	48	51	49	46	63	21	55
L_{WA6, S3} (dB(A))	35	48	65	62	62	62	63	60	70
L_{WA6, S4} (dB(A))	35	48	65	62	62	62	82	60	70
L_{WA6, S5} (dB(A))	60	68	78	80	82	82	–	78	88


L_{WA2} = razina jačine zvuka kućišta u dB

L_{WA5} = razina jačine zvuka slobodnog usisa u dB

L_{WA6} = razina jačine zvuka slobodnog odsisa u dB

EPK 31/6 B

Krivulja



Crtež s veličinama [mm]

