



# Certificate (Translation)



(1) 1. SUPPLEMENT to EU - TYPE EXAMINATION

acc. Directive 2014/34/EU Annex III figure 6

(2) Equipment or Protective System Intended for use in Potentially Explosive Atmospheres - **Directive 2014/34/EU**

(3) 1. Supplement to EU - Type Examination Certificate Number: TÜV-A 18ATEX0052 X

(4) Product 

- AC capacitor motor of the type ERM 18 Ex e and ERM 18 Ex t and the fan type ERM 18 Ex e and ERM 18 Ex t

(5) Manufacturer: Maico Elektroapparate-Fabrik GmbH

(6) Address: Steinbeisstraße 20, 78056 Villingen-Schwenningen, Germany

(7) This 1<sup>st</sup> supplement certificate extends EU – Type Examination Certificate No. TÜV-A 18ATEX0052 to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

(8) TÜV AUSTRIA SERVICES GMBH, Notified Body number 0408, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the product, as modified by this supplement certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No.: PB\_TÜV-A 18ATEX0052-54-55\_REV00\_ERM 18 22 25\_NT

(9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplement Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016

(12) The marking of the product shall include the following:



II 2G Ex eb IIB + H<sub>2</sub> T4 Gb  
II 2G Ex h IIB + H<sub>2</sub> T4 Gb  
II 2D Ex tb IIIB T135°C Db IP64  
II 2D Ex h IIIB T135°C Db

Filderstadt  
Place

14.10.2020  
Date

Michael Reuschel  
Notified Body 0408  
TÜV AUSTRIA SERVICES GMBH



# Schedule



## 1. SUPPLEMENT to EU - TYPE EXAMINATION TÜV-A 18ATEX0052 X

### (15) Description of the variation to the Product:

The fan is already certified and has the certificate number "TÜV-A 18ATEX0052 X".  
The following additions have been made to this type examination:

- Rated voltage extended to 100-250V AC
- Product addition with category 2D (Dust)
- Increasing the IP protection to IP64
- Mains frequency extended to 50/60 Hz
- Addition of the model ERM 18 Ex t

These changes now result in the following technical data:

Technical Data ERM 18 Ex e/t	
Type of product	Semi-radial pipe fan
Rated voltage	100-250 V AC
Voltage type	Alternating current
Mains frequency	50/60 Hz
Nominal power	50 W
Cosφ	0,9
I <sub>Nenn</sub>	0,25 A
I <sub>max</sub> at U <sub>Nenn</sub>	0,25 A
Type of protection	IP 64
Thermal class	B
Mains supply wire	3/ 1,5 mm <sup>2</sup>
Mounting position	Vertical / horizontal
Speed	2780 1/min
Promotional volume	310 m <sup>3</sup> /h
Housing material	Plastic
Weight	3,6 kg
Nominal width	180 mm
I <sub>A</sub> /I <sub>N</sub>	2,5
Time t <sub>E</sub>	50 Seconds
Operating mode	S1
Temperature class	T4
Thermal class of insulating materials Th. Cl.	130 (B)
Impeller type	Semi-radial

### (16) Test report

PB\_TÜV-A 18ATEX0052-54-55\_REV00\_ERM 18 22 25\_NT



**Specific Conditions of Use**

The "Specific Conditions" of the certificate of origin shall be preserved. In addition to these conditions, the following "Specific Conditions" now also apply:



Only operate the fan at the rated voltage indicated on the nameplate.

Never use the fan to convey explosive dusts or solid or liquid particles.

Ensure the degree of protection by properly inserting the lines into the terminal box.

The motor must be used with the installed capacitor.

In addition to the voltages intermediate values are also permissible. The corresponding currents must be converted from the reciprocal ratio of the voltages.

**(18) Essential Health and Safety Requirements**

Covered by the application of following standards:

EN 60079-0:2012/corr. 2013	EN 60079-31:2016
EN ISO 80079-36:2016	EN ISO 80079-37:2016

**(19) Drawings and documents**

Datei	Rev	Datum	Bezeichnung
TÜV-A 18ATEX0052	00	29.06.2018	Baumusterprüfbescheinigung
Ex ZB Maico 001 Rev. 3.pdf	3	05.11.2019	Zündgefahrenbewertung

